



TEST REPORT

ATest Report No.TRP/T(F)/25/020533
Dated : 2025-07-26



Test Specimens



Laboratory:
TUV SUD South Asia Pvt. Ltd.
106/2A, Nehru Street, 15 Velampalayam
Tamil Nadu,
Tirupur,641652

Phone :0421-4303100
Fax :0421-2257559
E-Mail :suresh.mohan@tuvssud.com
Url :www.tuvssud.in/softlines
Control No. :15361240.210725.118

Regd. Office :
TUV SUD South Asia Pvt. Ltd. Off Saki Vihar
Road, Saki naka, Andheri (East),
Mumbai-400072. India

TUV®

Page 1 of 4

TEST REPORT



Test Report No.TRP/T(F)/25/020533
Dated : 2025-07-26

Applicant : M/S. ZIMMER + ROHDE GMBH
GERMANY,

Attention : Mythili,
Test sample : Received on 2025-07-21 1:44 pm
Test period : 2025-07-21 to 2025-07-26
Sample description : Sample A:ONE PIECE OF SUBMITTED WOVEN FABRIC. (21305) in Color : 21305
Order No. : NOT PROVIDED
Style No. : NOT PROVIDED
Fiber Content : 51% COTTON 38% VISCOSE 11% LINEN
Country of origin : INDIA
Care label provided : PROFESSIONAL DRY CLEAN ONLY
Name of buyer/ destination : SELF REFERENCE

Note : The submitted Samples were not drawn by laboratory.

Unless otherwise agreed upon, PASS or FAIL verdicts are given based on the measured values without any considerations of measurement uncertainties. Every test method has a measurement uncertainty which has been evaluated by the laboratory and are available on request. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as PASS nor as FAIL.

1. The testing conditions are followed as per the reported test standard and the test results are reported in accordance with the relevant standard's reporting guideline. Additional test condition beyond those reported can be obtained by contacting the laboratory. 2. The laboratory will retain the sample(s) for 45 days except for the mandatory retention period specified by the Regulatory Bodies and unless otherwise specified by the client.

By accepting this document the customer hereby agrees and accepts the 'Terms & Conditions' and the relevant 'Testing & Certification Regulations' of TÜV SÜD South Asia Pvt. Ltd. which are available at Company's website at the link-<https://www.tuvsud.com/en-in/terms-and-conditions>

Note: The test report is electronically generated. Hence original signature is not required.

Note : (1) The results relate only to the items tested, (2) The test report shall not be reproduced except in full without the written approval of the laboratory, (3) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (4) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

TEST REPORT

Test Report No.TRP/T(F)/25/020533
Dated : 2025-07-26



Result summary / Conclusion :

<u>Test</u>	<u>A</u>
Abrasion Resistance	Refer Result

Authorized By

A handwritten signature in blue ink, appearing to read "Boopathi Baskaran".

Boopathi Baskaran
(Authorised Signatory)

Please contact:
For any technical issues: M. Kaleeshwaran at M.Kaleeshwaran@tuvssud.com
For any complaint: T. Gopi at T.Gopi@tuvssud.com

Laboratory:
TUV SUD South Asia Pvt. Ltd.
106/2A, Nehru Street, 15 Velampalayam
Tamil Nadu,
Tirupur, 641652

Phone :0421-4303100
Fax :0421-2257559
E-Mail :suresh.mohan@tuvssud.com
Url :www.tuvssud.in/softlines
Control No. :15361240.210725.118

Regd. Office :
TUV SUD South Asia Pvt. Ltd. Off Saki Vihar
Road, Saki naka, Andheri (East),
Mumbai-400072. India

The TUV SUD logo, identical to the one at the top of the page.

Page 3 of 4

TEST REPORT



Test Report No.TRP/T(F)/25/020533
Dated : 2025-07-26

Test Results - Accredited Parameters

1.0 Abrasion Resistance

ISO 12947-1:1998,

Sample A Thread Breakdown After

Results

Customer Spec.

No Fully Worn off area was observed upto 50000 rubs*

Remark:

Shade Change

Loading Mass Used = 12kPa

kPa - Kilo pascal

*-Partially Worn off area was observed

- End of Test report-