



## Approval of the Trademark Trevira CS®

ADO Goldkante GmbH & Co. KG  
Zimmersmühlenweg 14-18  
61440 Oberursel  
Germany

<b>Application No.:</b>	200824.1
<b>Date of issue:</b>	04.12.2020
<b>Valid until:</b>	27.11.2025
<b>Article name:</b>	3145
<b>End use:</b>	Curtains
<b>Square weight (g/m<sup>2</sup>):</b>	34
<i>According to customer specification</i>	
<b>Composition of the raw materials:</b>	Polyester 100%
<b>Composition of the fabric:</b>	Trevira CS 100%

The tested article 3145 with application no. 200824.1 is granted approval for the trademark Trevira CS® for interior use. This article was tested according to DIN 4102 part 1, 6.2 and thus also meets the requirements for fire class DIN 4102-B1. The article was tested according to the French Standard NF P 92-504 (Propagation de flamme) and thus also meets the requirements for class M1 according to NF P 92-503, 92-505 and 92-507. Thus meets also the requirements according to British Standard BS 5867 part 2 type C. Thus meets also the requirements for class 1 according to the Italian Standards UNI VF 8456 and UNI VF 8457. The article meets the requirements for class 1 according to EN 13773.

Trevira GmbH  
(This document is valid without signature.)