

TEST REPORT Job No./Report No TR2329961-RV2 Date:22 November 2023 Page 1 of 8

ADO-Goldkante GmbH & Co.KG

ADO-Goldkante GmbH & Co. KG Zimmersmühlenweg 14-18 61440 Oberursel

TEL: +49 6171 632 158

E-MAIL: Ineubert@ado-goldkante.de
To the attention of ADO-Goldkante

The following sample(s) was (were) submitted and identified by/on behalf of the client as:

Sample No.	Sample Description
A	Woven fabric in White

Client's reference No. : TR 2329961-RV2

Buyer : Not Provided Order No. : Not Provided

Model/Style No. : 3151 McCoy FR RE
Article No. : 3151 McCoy FR RE

Age Grade : Not Provided

Quality Code : 3151 McCoy FR RE

Manufacturer : ADO-Goldkante GmbH & Co.KG

Country of Origin : TURKEY
Country of Destination : Not Provided
Shipment Date : Not Provided
Fiber Composition : Not Provided

Fabric Weight : Claimed to be 147 g/m² End Use : 3151 McCoy FR RE

Agency : Not Provided Sample Receiving Date : 22 June 2023

Test Performing Period : 22 June 2023~25 July 2023

1st Revised Period : 21 August 2023 **Submitted Care Label Instructions :** Not Provided

Overall Conclusion : PASS

Test Results : Please refer to the next page(s).

Performed Test Summary: Selected test(s) as requested by client against Client's performance

standard.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."



TEST REPORT Job No /Report No TR2329961-RV2 Date:22 November 2023 Page 2 of 8

i = 0 i i i = i i i i i i i i i i i i i	1 LOZOZO 1 1 LUZO DALO. LZ NOVOLIBOL ZOZO 1 LUZO Z OLO
Test Parameters	Result
Physical tests	<u>A</u>
DIN 4102-1:1998-05 Fire behaviour of building	M
materials and elements	IVI

Remarks	M = Meets client's requirement
	F = Does not meet client's requirement
	I = Inconclusive
	* = No specified requirement
Notes:	Conclusions on meet/fail are based on the test result from the actual sampling of the received sample(s).
	Residual sample can be returned to client if requested.

The test results relate to the tested items only.

Test reports without SGS seal and authorised signatures are invalid.

Issued in Istanbul

Signed for and on behalf of

SGS Supervise Gözetme Etüd Kontrol Servisleri A.Ş.

IN THIS REVISED-1 REPORT, COVER PAGE WAS ARRANGED BY THE REQUEST OF THE APPLICANT. THIS REPORT SUPERSEDES OUR REPORT NO:TR2329961-RV1 DATED 21.08.2023



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects

the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30



TEST REPORT

Job No./Report No TR2329961-RV2

Date:22 November 2023

Page 3 of 8

I. **Test conducted

This test was conducted as per DIN 4102-15:1990 Fire behaviour of building materials and elements -'Brandschacht' apparatus, DIN 4102-16:2015 Fire behaviour of building materials and elements -'Brandschacht' tests and DIN 4102-1:1998-05 Clause 6.2.5, and Classification according to DIN 4102-1:1998-05 Clause 6.1 Class B1 materials.

II. Sample details

General description Woven fabric (AN167-1) (provided by client)					
Color	White				
Area Density	143 g/m ²				
Size of sample	190mm×1000mm & 190mm×90mm				

Conditioning

Prior to testing, the sample was conditioned at least 14 days to constant mass at a temperature of 23 ± 2 $^{\circ}$ C, and a relative humidity of 50 ± 5 %.

III. Test results

1) "Brandschacht" Test according to DIN 4102-15 &16

Exposed surface: specified by client

Results of "Brandschacht" Test (part 1)							
Line		Unit	Test direction				
No.		Offic	Lengthwise	Widthwise			
1	Specimen fixings according to DIN 4102 part 15, table	1	1	1			
2	Max. flame height above lower sample edge;	cm	60	60			
3	Time 1)	min:s	00:09	00:12			
	Melting/burning through		Yes	Yes			
4	Time 1)	min:s	00:01	00:01			
	Back of specimen		Yes	Yes			

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects

the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30



TEST	RE	PORT Job No./Report No TR2329961-RV2	Date:	22 November 2023	Page 4 of 8
	5	Flaming/glowing, Time 1)	min:s	00:01	00:01
	6	Discolouring, Time 1)	min:s	00:01	00:01
		Burning droplets		Yes	Yes
	7	Begin 1)	min:s	00:16	00:11
		<u>Amount</u>		1	1
	8	Specimen material falling off in separate droplets		√	√
	9	Specimen material falling off continuously		/	1

Results of "Brandschacht" Test (part 2)							
Line		Unit	Test direction				
No.		Offic	Lengthwise	Widthwise			
	Burning parts		No	No			
10	Begin 1)	min:s	/	/			
11	Parts of sample falling off separately		/	/			
12	Parts of sample falling off continuously		/	/			
13	Duration of continued combustion on mesh base (max.)	min:s	No	No			
	Burner flame impairment by dripping/falling material		No	No			
14	Time 1)	min:s	/	/			
	Premature ending of test		/	/			
15	End of burning at specimen 1)	min:s	/	/			
16	Time when test terminated (if applicable) 1)	min:s	/	/			
	Burning after end of test		No	No			
17	Duration	min:s	/	/			
18	Number of specimens		/	/			
19	Front of specimen		/	/			
20	Back of specimen		/	/			
21	Height of flame	cm	/	/			

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects

the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30



TEST REPORT Job No./Report No TR2329961-RV2 Date:22 November 2023 Page 5 of 8

	- · · · · · · · · · · · · · · · · · · ·			9
	Glowing after end of test		No	No
22	Duration	min:s	/	/
23	Number of specimens		/	/
24	Front of specimen		/	/
25	Back of specimen		/	/
26	Top half of specimen		/	/
27	Bottom half of specimen		/	/

Results of "Brandschacht" Test (part 3)									
Line		Linit	Test direction						
No.		Unit Lengt		Lengthwise		hwise			
	Residual length /					1			
28	Single results	cm	45	46	48	45			
	Olligie results		46	47	49	45			
29	Average of the single results	cm	46.0		46.8				
	Smoke temperature		/		/				
30	Max. of average	$^{\circ}$	141.1		140.6				
31	Time 1)	min:s	04:16		05:01				

Note: 1) time from start of testing

Class B1 materials:

If the residual length measured after the first test is 45cm or greater, further tests are not required.

2) Ignitibility test according to DIN 4102-1 Clause 6.2.5

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions/terms-and-conditions/terms-and-conditions/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

^{*}Reduction in number of test (DIN 4102 Part 16, clause 5.2)



TEST REPORT

Job No./Report No TR2329961-RV2

Date:22 November 2023

Page 6 of 8

Edge ignition

Fire application time: 15s

Parameter		Lengthwise					Widthwise				
		2	3	4	5	6	7	8	9	10	
Whether or not flaming extinguished before reach the gauge mark (Yes/No)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Whether or not flaming reach the measuring mark within 20 seconds (Yes/No)	No	No	No	No	No	No	No	No	No	No	
Time for the flame tip to reach the gauge mark (s)	No	No	No	No	No	No	No	No	No	No	
Afterflame time (s)	0	0	0	0	0	0	0	0	0	0	
Max. flame height (cm)	4	3	3	3	4	5	3	3	4	4	
Molten dripping (Yes/No)	No	No	No	No	No	No	No	No	No	No	
Smoke developments (visual impression)			Slight					Slight			

IV. DIN 4102-1:1998 Criteria for classification

- All materials, except flooring, may be classed as B1 materials if they meet the following requirements a) and b):
- a) The test using the 'Brandschacht' apparatus described in DIN 4102-15 (cf. subclause 6.1.3.1) shall be deemed passed if
- The mean value for the residual length (portion of specimen that has not burned or charred; cf. subclause
- 9.1 of DIN 4102-16) of each specimen is at least 15 cm and no individual values are lower than 0 cm,
- The mean effluent temperature does not exceed 200 °C in any test,
- The requirement for the residual length of each specimen is met even where there is afterflame, afterglow, or smouldering.
- b) Pass DIN 4102-1:1998 sub-clause 6.2.5 Ignitability Test if

For each specimen, flaming doesn't reach the gage mark within 20s after flame application.

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions (conditions and, for electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."



TEST REPORT Job No./Report No TR2329961-RV2 Date:22 November 2023 Page 7 of 8

2) Materials may be classed as **B2** materials if they pass the ignitibility test specified in DIN 4102-1:1998 subclause 6.2.5.

For each specimen, flaming doesn't reach the gage mark (150mm marks) within 20s after flame application.

3) Combustible materials which cannot be classed as B1 or B2 materials shall be classed as B3 materials.

STATEMENTS:

This declaration of conformity is only based on the result of this laboratory activity, the impact of the uncertainty of the results was not included.

This test report does not replace any mandatory certification of the product that may be required.

The test results relate to the behaviour of the test specimens of a product under the particular conditions of the test; they are not intended to be the sole criterion for assessing the potential fire and smoke hazard of the product in use.

**This test was performed by (Subcontracted) Laboratory.

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions (conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any noider of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."



TEST REPORT

Job No./Report No TR2329961-RV2

Date:22 November 2023

Page 8 of 8



End of Test Report

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions and,

Attention is document, as issued by the Company subject to its deneral Conditions of Service printed overlear, available on request or accessible at www.sgs.com/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30

In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory.